Use Case: Campaign Members

Download the PDF of this article.

In this Article

About Update a Contact Update a Campaign Member

Related Articles

You can link a Campaign Member to a Lead or a Contact. In this example, we'll be using a Contact.

If the Contact already has a Campaign Member to update, you can update it. If not, you can create a Campaign Member and establish a relationship to the Contact.

You can see a similar use case in our blog: How Collabrax Uses FormAssembly to Build Campaign Member Lists in Salesforce

Update a Contact

We'll begin with the Contact Lookup and Update.

In Step 1 of the connector, to find a specific contact record, the lookup uses either:

- the Contact ID, which was passed through the URL, like in an email, or
- the email entered into the form by the respondent.

If a match is not found, a new Contact will be created.

If a match is found, it will update the record with the mapped fields.

If multiple matching records are found, in this example, we will update the most recently modified record.

LOOKUP #6				
Find a Contact record to update using:				
📥 Email 😑 🖺 Email				
Tip: Missing a field? Try refreshing the list.				
IF NO MATCH	IF ONE MATCH		IF MULTIPLE MATCHES	
Create a new record instead	Update record		Create a new record instead	
FIELD MAPPING				
THESE SALESFORCE FIELDS:		GET THEIR VALUE FR	OM:	
First Name		First Name		
Last Name		Last Name		
Email		Email		

Update a Campaign Member

First, click to add a dependent object to the Contact Update. Place your cursor over any part of Step 1 to see this option appear.

THESE SALESFORCE FIELDS:	GET THEIR VALUE FROM
First Name	First Name
Last Name	Last Name
Email	Email
+ Map Another Field	

To lookup a Campaign Member, use the Campaign ID and the Contact ID. Since we just did a lookup to find the

Contact ID, you'll reference it in the subsequent lookup. You'll need to grab your Campaign ID out of Salesforce.

If a match is not found, a new Campaign Member record will be created.

If a match is found, it will update with the mapped fields.

If multiple matches are found, the connector will create a new Campaign Member, in this example. You can choose another option, depending on what works best for your process.

date CampaignMember object		S Edi	
LOOKUP #5			
Find a CampaignMember record to update	using:		
Campaign ID = Formula:	701E0000000caoz		
And 🜩			
Contact ID = Lookup # 6			
Tip: Missing a field? Try refreshing the list			
IF NO MATCH	IF ONE MATCH	IF MULTIPLE MATCHES	
Create a new record instead	Update record	Create a new record instead	
FIELD MAPPING			
THESE SALESFORCE FIELDS:	GET THEIR	GET THEIR VALUE FROM:	
Campaign ID	Formula = 7	Formula = 701E000000caoz	
	Formula = R	Formula = Responded	
Status		Record ID of 1. Contact	

If you want to create a new Campaign Member record, the Campaign ID and Contact ID must be mapped.