

LDAP Prefill Connector

Download the PDF of this article.

In this Article

[Overview](#)

[Requirements](#)

[Configure the Connector](#)

[Prefill Multiple Choice Fields](#)

Related Articles

Overview

This connector allows you to pull data from an LDAP or Active Directory for the currently authenticated users, and use that data to prefill a form. This connector must be used in conjunction with [LDAP Authentication](#).

Requirements

You'll need a FormAssembly Team plan or higher, and an LDAP service.

Configure the Connector

1. Set Up an LDAP Connection

An LDAP connection needs to be [defined in your FormAssembly instance](#) in order for the LDAP Prefill Connector to work.

If you've successfully configured an LDAP connection to work with your instance, the server location of your LDAP connection will be displayed in the **Basic LDAP configuration** section of the connector.

2. Enable LDAP Authentication

STATUS

☐ Enabled
 ☒ Disabled

⚠ This connector is disabled.

Change to 'enabled' and save to enable the connector.

WARNING

Your LDAP service is not accessible. This connector might not run correctly.

STEP 1 OF 2 - LDAP AUTHENTICATION

LDAP Authentication is disabled. [Configure LDAP Authentication.](#)

3. Map the Fields

STEP 2 OF 2 - MAPPINGS

FORM FIELD	DATA SOURCE	SOURCE VALUE
First Name	Formula	<input type="text"/>
Last Name	Formula	<input type="text"/>
Email	Formula	<input type="text"/>
<div>+ Add a New Field Mapping</div>		

Now, with LDAP Authentication enabled, you'll select which form field corresponds to which LDAP attribute field (also known as **field mapping**).

Choose a field from your form, the datasource you'd like to map to the field, and then enter the formula or select the LDAP attribute value that you'd like mapped to the form field.

Both datasource options (**Formula** and **LDAP Session**) allow [form aliases and formulas](#). However, the LDAP Session option will allow you to select from a list of attributes pulled from the LDAP directory.

Note: If you choose an LDAP Session attribute and then change the Datasource back to "Formula," the LDAP attribute will be converted to its form alias.

Click **Map another field** for each field in your form that you want to prefill. When you're finished, click **Apply** to save your field mappings.

Prefill Multiple Choice Fields

You can also preselect an answer for a multiple-choice question (radio buttons, checkboxes, list selects, and drop-down menus). The answer will be preselected depending on an LDAP attribute.

For example, if we're mapping to the Account Type radio button in our form. The form will check if the `objectclass` of an LDAP authenticated user is either `1`, `2`, or `3`. Let's say that Sarah logs in with her user information, and her `objectclass` is `1`. That means the form will preselect the "Student" answer for the Account Type question.

Note: You can preselect more than one answer by defining the **same value** for two or more answers. However, with radio buttons and drop-down menus, only one answer can be selected, so the preselected answer will be the last choice with the same value. That means if you enter '1' for both "Student" and "Faculty," then "Faculty" will be preselected.
