

Add Discount Codes to your Form

Download the PDF of this article.

In this Article

Related Articles

Introduction

In situations where you are processing payments in your form, it may be beneficial to have the ability to accept discount codes from respondents. This post will discuss how you can add in the most common types of discount codes:

- **Percentage-based:** Discount a certain percentage amount from the total.
- **Dollar-based:** Discount a certain dollar amount from the total.

Before adding discount codes to your form, it is important to have a basic understanding of [form building](#) and [form calculations](#). You will also need to use basic JavaScript during this process, but we will provide you with the needed code.

Please note: The example listed below is a common example of custom code. You may need to edit this example to fit your form's needs. Our support team **does not** provide additional custom code and cannot help edit, write, or design custom code for your forms.

Setting Up your Discount Codes

Prior to these steps, you will need to have created a form that is already calculating a total cost for what respondents are purchasing in your form. If you are having difficulties with this, please reach out to our [support team](#).

The steps below should be followed for both percentage-based and dollar-based discount scenarios.

You will define the amounts of your discount codes at the end of these steps when adding in the JavaScript under Step 5.


1. Creating a Pre-Discount Total

To begin, find the current field that is showing the total purchase amount in your form, and open the **options menu** for that field.

Select **Calculations** and **Mark this field as a variable**. For this example, we will define this variable as **prediscountTotal**.

In the end, this field will be hidden, but for the purposes of testing, we recommend leaving it visible until you have tested your form.


Please note that this field will likely already be marked as a calculated field, as it is determining the total cost of items purchased.



2. Add in the Discount Code Field

Next, add in a text field where your respondents will enter their discount code.

Like before, open the options menu for this field, select **Calculations** and **Mark this field as a variable**. For this example, we will define this variable as **discountCode**.



Under the options menu, you may also want to add in a **validation rule**. This way, if a respondent enters an incorrect discount code, an error message will show.

To do this, open the **Validation** options, choose **Custom** and then under **Validate with a Regular Expression** paste in the following: `^(CODE1|CODE2|CODE3)$`

If you choose to add in a validation rule, you will need to replace "CODE1", "CODE2", and "CODE3" with your actual discount codes. **You should not use any spaces or special characters for these codes.** These codes are also case sensitive.

You can also define a custom error message here if you would like to. Please note that adding in this validation rule is optional.

3. Add in the Discount Amount Field


Now we need a text field that will hold the total amount of the discount. Add in a text field, label it "discount amount", and **mark this field as a variable** like before. For this example, we'll define the variable as **discountAmount**.

In the end, you may want to mark this as a hidden field, but it's best to keep it visible for testing purposes.

In addition to marking this field as a variable, you will also need to **Mark it as a calculated field**.

For the calculation, enter: `calculateDiscount(discountCode)`

Please note, that if you used a different variable name above for the discount code field, you will need to replace "discountCode" with that variable name in this calculation.



4. Add in a Post-Discount Total Field

Add in another text field that will represent your post-discount total or grand total. This will be the field your respondents will see, and it will have your discount applied if they entered a correct discount

code.

You will need to **Mark this field as a calculation**. However, the calculation will vary depending on if you are using a percentage-based or dollar-based discount scenario. Based on your choice, please paste in the appropriate calculation:

Percentage-based discount calculation: $\text{prediscountTotal} - (\text{prediscountTotal} * \text{discountAmount})$

Dollar-based discount calculation: $\text{prediscountTotal} - \text{discountAmount}$

Note: If you have changed the names of any of your variables from what we have outlined here, you will need to change the equivalent names in the formula above.

5. Add in the Custom JavaScript with Discount Amounts

Finally, you will need to add the JavaScript code sample below into the **Custom Code** section of your form (under the **Properties** menu).

Please note that lines that contain // at the beginning are comments. These are there to offer guidance, but do not impact the calculation.

The values of "10", "100" and "125" will need to be replaced with your discount amounts.

If you are using **dollar amounts**, please replace those amounts. It is important to not use a dollar sign.

If you are using **percent amounts**, please replace those amounts in decimal form (e.g., 0.1 for 10%).

Please Note: You must save your form and view the published, live version of the form to test these calculations. You **cannot test this form in the preview mode**, as the JavaScript code will not function properly.