

# Post Redirect Connector

[Download the PDF of this article.](#)

## In this Article

## Related Articles

### Introduction

The Post Redirect connector is quite similar to the HTTPS Connector. While the HTTPS Connector allows you to forward submitted data through the server, the Post Redirect Connector allows you to forward submitted data from FormAssembly to any remote service through the browser.

When using the Post Redirect connector, data is sent as application/x-www-form-urlencoded data. The Post Redirect connector currently cannot pass data as JSON content, only as form encoded data.

This connector is particularly useful in two different cases:

1. You need to use a third-party service that normally takes its inputs from a web form. Perhaps you're replacing the form and need to maintain the existing process, or maybe you're just adding another process to your work flow. FormAssembly will act as the "middleman," processing your form and delivering all its advanced features, and then forwarding the data.
2. You need to enforce some sort of validation on your form data that isn't provided by FormAssembly. Using a custom-built script, you could take the submitted data, check it against your own validation rules, and if needed, prevent the submission and redirect the respondent to the form with the appropriate error message.

---

## Requirements

The Post Redirect Connector is available on FormAssembly's Enterprise Plan. This is disabled by default and can be enabled by an Administrator.

ALLOWED CONNECTORS ( SELECT: ALL / NONE )

Please note that leaving all checkboxes unchecked will grant this role access to all connectors. If you wish to disable access to all connectors, please uncheck 'Use Connectors' at the top of the page.

- Authorize.Net
- CAS (Prefill)
- Chargent
- CyberSource
- Salesforce Marketing Cloud
- Salesforce Marketing Cloud (Prefilling)
- FreshBooks
- HTTPS
- iATS
- LDAP (Prefill)
- PayPal
- Post Redirect

Note: The Post Redirect connector **cannot** be used for processing payments or for sending sensitive data through the connector. Instead, please use one of our [Payment Connectors](#). Additionally, we enforce modern SSL TLS 1.2/HTTPS protocols for the HTTPS connector.

When referencing the Post Redirect connector within scripts, **we require following best-practices and using the standard port: tcp/443**

## Remote Script & Authentication

Provide the address (URL) of the script that will process the data. If needed, you can also enter a username and password (RFC 2617 Basic HTTP Authentication).

REMOTE SCRIPT

REMOTE SCRIPT URL:

  
 Use HTTP Authentication

The success of the remote script execution is determined by the [HTTP Status code returned](#) . At this time, HTTP 2xx codes (200 to 206) are considered success, and HTTP 4xx and 5xx are considered failures. Other status codes, such as 3xx redirects, are ignored.

Finding the remote script URL will be different depending on where you are attempting to send data. In general, you'll want to visit the destination website (i.e. where you are trying to send the data), right click on the form or data entry portion of that page, and click **view source**.


Next, you'll want to use your browser's **Find** command (usually ctrl+f or cmd+f) and search for "**action=**" without the quotation marks.

Once you've found that, you'll want to copy the value that is after the equals sign, and use that as your remote script URL. If you run into any trouble with this, please contact our support team and we'll be happy to help!

---

## Field Mapping

The purpose of the field mapping process is to specify what information should be sent and how it should be identified.



The screenshot shows a 'FIELD MAPPING' configuration window. It is divided into two columns: 'YOUR FORM FIELDS:' and 'WILL BE SUBMITTED AS... (FIELD NAME)'. Under 'YOUR FORM FIELDS:', there are three rows: 'First Name', 'Last Name', and 'Email'. Each row has a corresponding input field in the 'WILL BE SUBMITTED AS...' column containing 'tfa\_1', 'tfa\_2', and 'tfa\_3' respectively. Below these, there is an 'Additional values' section with an empty input field and a label 'will be submitted as... (field name)'. At the bottom left, there is a button labeled '+ Add another custom field'.

The Post Redirect Connector lists the fields present in your form with their default field name. You can edit the field names to match the names expected by your remote script. You can also enter additional fields with fixed values as needed.

---

**Please Note:** Files cannot be sent or uploaded via the Post Redirect Connector.

---

## Activity Log

The connector's activity log is particularly useful to troubleshoot configuration problems with your connector.

To access it, go to the Connectors page for the desired form and click on log link for the Post Redirect Connector.

---

## Video Tutorials

We have 2 examples HTTPS Connector setups you can take a look at. These setups follow a similar setup as the Post Redirect Connector.

[GoToWebinar Integration](#)

[HTTPS Connector: MailChimp](#)

---